

1fw/ Cofe



Docket No: B-06304

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: Driesen et al.  
Patent No.: 6,871,373 B2  
Serial No.: 09/803,132  
Issued: March 29, 2005  
Filed: March 9, 2001  
Title: Bristle for a Toothbrush, Particularly for an Electric Toothbrush, and Method for its Manufacture

Certificate  
MAY 18 2005  
of Correction


Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

TRANSMITTAL OF CERTIFICATE OF CORRECTION REQUEST

Patentees hereby request that a Certificate of Correction be issued for the above patent in accordance with the attached request.

All errors sought to be corrected were made in printing by the Patent and Trademark Office and no fee is due.


Respectfully submitted,

  
Edward S. Podszus  
Reg. No. 35, 983  
Date: 29 April 2005

The Gillette Company  
Prudential Tower Building  
Boston, MA 02199-8004  
(617) 421-7939

Certificate of First Class Mailing under \$1.08

I hereby certify that this paper and those referenced herein are being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Commissioner for Patents, Alexandria, VA 22313-1450 on the date shown below.

 Signed  
Michele T. Brown Printed Name  
May 10, 2005 Date

MAY 24 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**CERTIFICATE OF CORRECTION**

PATENT NO.: 6,871,373 B2

DATED: March 29, 2005

INVENTOR(S): Driesen et al.

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 14, at column 7, line 51, add after "end of the" --bristle-- and add after "is split" --over the--.

MAILING ADDRESS OF SENDER:  
Edward S. Podszus, Esq.  
The Gillette Company  
Prudential Tower Building  
Boston, MA 02199

Patent No. 6,871,373 B2

MAY 24 2005